

# List Price Sheet

Version: 2.3      Revision Date: 2/27/2009



## VISUAL ALARMS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Alarm Light, 4W, Red	LX4	11.00	10.29	9.46	8.34	7.38
Alarm Light, 10W, Red	LX10	13.85	13.08	12.31	11.54	10.77
Alarm Light, 10W, (Amber or Green - specify color)	LX10	16.92	16.15	15.38	14.62	13.85
Alarm Light, 15W w/ SS Flasher, Red	LX15F	26.92	26.15	25.38	24.62	23.85
Alarm Light, 15W, w/ SS Flasher, (Amber or Green - specify color)	LX15F	30.00	29.23	28.46	27.69	26.92
Alarm Light, 25W, Red	LX-25	25.32	20.68	20.58	19.71	17.95
Alarm Light, 25W (Amber, Green, Blue, Clear -specify color)	LX-25	33.02	28.37	28.28	27.40	25.65
Alarm Light, 40W, Red, w/ Soild State Flasher	LX-40F	46.02	34.85	33.92	32.43	29.94
Alarm Light, 40W (Amber, Green, Blue, Clear - specify color)	LX-40F	53.71	42.54	41.62	40.12	37.63
Alarm Light, Mini, 15W, Red	MX-15	20.66	14.29	13.77	12.75	11.43
Alarm Light, Mini, 15W, Amber	MX-15	23.74	17.37	16.85	15.83	14.51
Alarm Light, Mini, 25W w/ SS Flasher, Red	MX-25F	41.35	28.46	27.11	25.48	23.42
Alarm Light, Mini, 25W w/ SS Flasher, Amber	MX-25F	44.43	31.54	30.18	28.55	26.49
Beacon, Rotating, 12VDC (Red, Amber, Green - specifiy color)	RB1215D	89.00	84.55	80.32	76.31	70.95
Alarm Light, LED, Sunburst, 120VAC	SB120AC	49.23	45.63	43.71	41.37	37.43
Alarm Light, LED, Sunburst, 120VAC, New	SBN120AC	50.77	47.17	45.25	42.91	38.97
Alarm Light, LED, Sunburst, 12/24VDC	SB1224AD	55.38	52.63	49.09	45.38	43.08
Alarm Light, LED, Sunburst, 12/24 VDC or VAC, New	SBN1224AD	56.92	54.17	50.63	46.92	44.62
Strobe, 12VDC, Red	SLRX-123	73.89	71.42	66.92	61.28	57.48
Strobe, 12VDC ( Amber, Blue, Green, Clear - specify color)	SLX-123	81.58	79.11	74.62	68.97	65.17
Strobe, 120VAC w/ Screw in Base	S120VAC	29.92	28.03	25.97	23.85	21.88
Kit, Strobe, 120 VAC w/ Screw in Base (Red)	SK120VAC	62.80	58.80	51.77	46.80	45.77
Strobe, 120VAC (Amber, Blue, Green, Clear - specify color)	SK120VAC	70.49	66.49	59.46	54.49	53.46
Kit, Strobe, 12 VDC (Red)	SK12VDC	58.74	56.57	48.69	44.09	41.58
Strobe, 12VDC ( Amber, Blue, Clear -specify color)	SK12VDC	66.43	64.26	56.38	51.78	50.82
MiniStrobe, 120VAC (Specify color)	MS120A	33.85	32.31	30.77	26.23	25.00

## FLASHERS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Flasher, Solid State, AC, 150W	SSF150W	20.69	14.17	13.34	12.72	11.98
Flasher, Solid State, DC, 12 to 24 Volt	SSF1224D	20.69	14.17	13.34	12.72	11.98

## AUDIBLE ALARMS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Sounder, 115VAC, (Red, Gray)	AH115A8R, AH115A8G	81.83	77.69	71.77	64.92	63.85
Sounder, 12 or 24 VDC, (Red, Gray)	AH1224D8R, AH1224D8G	81.83	77.69	71.77	64.92	63.85
Piezo, Siren, 12VDC	PS12D	21.86	19.68	17.88	16.40	14.14
Piezo, Warble, 120VAC	PW120A	25.23	21.11	19.75	18.12	16.49
Piezo, Warble, 24VDC	PW24D	21.86	19.68	17.88	16.40	14.14
Piezo, Warble, 12VDC	PW12D	21.86	19.68	17.88	16.40	14.14
Piezo, Medium Loud Beep, 120VAC	PB120AMB-X	25.23	21.11	19.75	18.12	16.49
Piezo, Extra Loud Continuous, 120VAC	PB120AXC-X	25.23	21.11	19.75	18.12	16.49
Piezo, Medium Loud Continuous, 120VAC	PB120AMC-X	25.23	21.11	19.75	18.12	16.49
Piezo, Medium Loud Continuous, 5-30V AC/DC	PB530ADMC-X	24.45	22.09	20.15	18.58	16.15
Piezo, Extra Loud, 3-30VDC	PB330DXCX-X	21.86	19.68	17.88	16.40	14.14
Piezo, Medium Loud Warble, 5-24V AC/DC	PB524ADMW-X	24.45	22.09	20.15	18.58	16.15

# List Price Sheet

2/27/2009

Ingram Products

## AUDIBLE ALARMS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Piezo, Chime, 5-25VDC	PB525DCH-X	21.86	19.68	17.88	16.40	14.14
Piezo, Ultra Loud Staccato, 6-28VDC	PB628DUT-X	21.86	19.68	17.88	16.40	14.14
Piezo, Ultra Loud Siren, 6-28VDC	PB628DUS-X	21.86	19.68	17.88	16.40	14.14
Piezo, Ultra Loud Warble, 6-28VDC	PB628DUW-X	21.86	19.68	17.88	16.40	14.14
Piezo, Ultra Loud Warble or Continuous, 5-15VDC	PB515DUW/UC-X	21.86	19.68	17.88	16.40	14.14
Piezo, Ultra Loud Warble or Continuous, 6-18VDC	PB628DUW/UC-X	21.86	19.68	17.88	16.40	14.14
Piezo, Fast Beep, 6-24V AC/DC	PB624ADFB-X	24.45	22.09	20.15	18.58	16.15
Piezo, Fast Beep, 120VAC	PB120AFB-X	25.23	21.11	19.75	18.12	16.49
Piezo, Fast Siren, 120VAC	PB120AFS-X	25.23	21.11	19.75	18.12	16.49
Piezo, Fast Siren, 6-30 AC/DC	PB630ADFS-X	24.45	22.09	20.15	18.58	16.15
Sounder31, 12-24VDC w/ Beacon	AH03127-BS	67.69	65.32	60.89	55.80	50.09
Sounder31, 12-24VDC	AH03127-S	61.54	59.46	54.55	49.22	47.35
Adapter, Silence Module	SMADP	3.00	2.91	2.40	2.20	2.00
Silence Module, 12VDC, 24VDC or 120VAC	SM12D, SM24D, SM120A	17.78	17.65	17.46	16.51	15.97

## TEMP. CONTROLS, HOUR METERS, COUNTERS, BATTERIES & BACKUPS, TRANSFORMERS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Battery Back Up w/ Charger, 12VDC, 8AH	BB-1208AH	103.05	97.17	93.34	91.26	86.94
Battery Back Up w/ Charger, 12VDC, 5 AH	BB-1205AH	77.92	73.02	69.80	68.06	64.43
Battery, 12VDC, 8 Amp Hour	B1208AH	62.68	59.62	57.65	56.58	54.32
Battery, 12VDC, 5 Amp Hour	B1205AH	38.31	36.17	34.78	34.05	32.46
Charger, Battery, 12VDC	FLC-2207	36.06	33.52	31.85	30.92	29.06
Charger, Battery, 24VDC	FLC-2210	43.26	40.22	38.22	37.11	34.86
Mounting Bracket, 5 Amp Hour Battery	MB1205AH	19.86	18.98	18.03	17.49	17.03
Heater, Panel, 15W, 30W, 35W, 50W	AHC-15, 30, 35, 50	50.82	49.54	43.95	40.12	37.58
Heater, Mini Space, 15W	MHS-15	25.74	23.58	21.43	20.34	19.57
Hour Meter, Rectangular Face w/mounting holes, 12-48V DC/AC	HRM1248ADRRSP	35.51	30.18	25.66	21.82	18.54
Hour Meter, Rectangular Face w/mounting holes, 90 to 230VAC	HRM90230ACRRSP	35.51	30.18	25.66	21.82	18.54
Hour Meter, Round Face, 12-48V DC/AC	HRM1248ADRSS	35.51	30.18	25.66	21.82	18.54
Hour Meter, Round Face, 90-230VAC	HRM90230ACRSS	35.51	30.18	25.66	21.82	18.54
Hour Meter, Rectangular, 12-48V DC/AC	HRM1248ADRRP	35.51	30.18	25.66	21.82	18.54
Hour Meter, Rectangular Face, 90 to 230VAC	HRM90230ACRRP	35.51	30.18	25.66	21.82	18.54
Thermostat, Cooling, 120/250 VAC	CTS	25.23	21.11	19.75	18.12	16.49
Thermostat, Heating, 120/250 VAC	HTS	25.23	21.11	19.75	18.12	16.49
Counter, Hand Held	HHC4	12.89	11.35	9.75	9.31	8.91
Counter w/ Actuator Arm	MC01	25.98	20.49	16.89	13.40	11.65
Transformer, Class 2, UL	503130F-12	25.38	24.62	23.85	23.08	22.31

## IS RELAYS, TIMER RELAYS, PROGRAMMABLE RELAYS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Relay, Latching, 12V, 10K	ISRL 12-10K	163.23	151.58	140.25	135.92	133.31
Relay, Latching, 12V, 100K	ISRL 12-100K	163.23	151.58	140.25	135.92	133.31
Relay, Latching, 24V, 10K	ISRL 24-10K	163.23	151.58	140.25	135.92	133.31
Relay, Latching, 24V, 100K	ISRL 24-100K	163.23	151.58	140.25	135.92	133.31
Relay, Dual Channel, 12V, 10K	ISR2 12-10K	198.45	186.43	170.00	156.32	145.65
Relay, Dual Channel, 12V, 100K	ISR2 12-100K	198.45	186.43	170.00	156.32	145.65

## IS RELAYS, TIMER RELAYS, PROGRAMMABLE RELAYS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Relay, Dual Channel, 24V, 10K	ISR2 24-10K	198.45	186.43	170.00	156.32	145.65
Relay, Dual Channel, 24V, 100K	ISR2 24-100K	198.45	186.43	170.00	156.32	145.65
Relay, 4 Channel, Multiple Configuration	ISR4-R	634.62	595.97	540.62	496.62	476.72
Relay, Latching, 4 Channel, Multiple Configuration	ISR4-L	634.62	595.97	540.62	496.62	476.72
Timer, Multi-range, 24-240V AC/DC	H3B-RC	38.26	35.71	33.15	30.62	26.54
Timer, Multi-function Analog, Octal Base, 24-240V AC/DC	H3C-R	49.66	46.35	43.05	39.74	34.97
Timer, Multi-function Analog, 11 pin base, 24 to 240V, AC/DC	H3C-R11	55.18	51.51	47.83	44.15	38.85
Timer, Multi-function, Digital, 12-48V AC/DC	H5CLR-11-1248V_AC/DC	79.42	74.12	68.83	63.54	55.91
Timer, Multi-function, Digital, 100 to 240V, AC/DC	H5CLR-11-100-240_AC/DC	79.42	74.12	68.83	63.54	55.91
Timer, Programmable, Weekly, 12 to 48V AC/DC	APT-9S-1248V_AC/DC	188.68	174.09	159.51	144.92	141.32
Timer, Programmable, Weekly, 100 to 240V, AC/DC	APT-9S-100-240V_AC/DC	188.68	174.09	159.51	144.92	141.32
Mounting Frame, Flush, For H Series Timer Relays	Y-50	5.38	4.95	4.52	4.09	3.66
Mounting Frame, Flush, For APT-9S Programmable Timer	Y-70	7.54	6.94	6.34	5.74	5.14
Socket, Relay, Octal	10FF-2Z-C3	6.40	6.40	6.40	6.40	6.40
Socket, Relay, 11 Pin	10FF-3Z-C3	6.92	6.92	6.92	6.92	6.92
Frame, Flush Mount, for H Series Timer Relays	Y-50	5.38	4.95	4.52	4.09	3.66
Frame, Flush Mount, for APT-9S Timer Relays	Y-70	7.54	6.94	6.34	5.74	5.14

## LIQUID SYSTEM CONTROLS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Bubbler Air Supply, Continuous Running	BASCR30N	405.89	382.98	358.31	336.29	312.78
Bubbler Air Supply, Tank Type, 0-10 ft	BASTT40-10	476.49	450.49	422.77	396.78	369.06
Bubbler Air Supply, Tank Type, 0-20 ft	BASTT40-20	481.77	453.57	425.85	398.32	370.60
Bubbler Air Supply, Tank Type, 0-30 ft.	BASTT40-30	487.95	458.18	428.92	399.86	372.14
Bubbler Air Supply, Tank Type, 0-40 ft	BASTT40-30	491.97	461.26	430.46	401.40	373.68
TUF Pump II, Bubbler Air System, Continuous Run	BASCR30	424.31	400.37	376.43	352.49	328.55
Replacement Pump, TUF Pump II, Pressure/Vacuum Pump, 120VAC	PV27P19M120A	217.89	203.75	189.63	175.49	161.37
Optimum Pump, High Volume, 120VAC	PV36P19M120A	239.68	224.12	208.60	193.05	177.51
Air Compressor, 15 Ft. Max	HR10WB3	179.15	145.92	138.26	130.91	129.38
Mounting Bracket, Compressor, HR10WB3	HRMTBKT	16.00	14.75	13.88	13.17	11.86
Mounting Bracket, TUF Pump, PV20P18M120A	PV20P18M120AMTBRK	27.65	23.85	22.92	20.54	19.23
Relay, Moisture Sensing, Multi-funcion (MSR) 24VAC	MSR1P24A	55.91	54.08	49.62	44.77	43.08
Relay, Moisture Sensing, Multi-function (MSR) 120VAC	MSR1P120A	55.91	54.08	49.62	44.77	43.08
Relay, Liquid Level Control, Multi-function (LLC) 24VAC	LLC2P24A	55.91	54.08	49.62	44.77	43.08
Relay, Liquid Level Control, Multi-function (LLC) 120VAC	LLC2P120A	55.91	54.08	49.62	44.77	43.08
Flowmeter, F100, 1/2", 2.5 to 20 LPM, Silicon O-ring	F100-DN15A-S	282.03	261.89	241.74	241.74	213.25
Flowmeter, F100, 1/2", 5 to 40 LPM, Silicon O-ring	F100-DN15B-S	282.03	261.89	241.74	241.74	213.25
Flowmeter, F100, 1/2", 2.5 to 20 LPM, Viton O-ring	F100-DN15A-V	457.03	424.38	391.74	391.74	363.25
Flowmeter, F100, 1/2", 5 to 40 LPM, Viton O-ring	F100-DN15B-V	457.03	424.38	391.74	391.74	363.25
Flowmeter, F100, 3/4", 3 to 24 LPM, Silicon O-ring	F100-DN20A-S	308.28	286.26	264.25	264.25	243.25
Flowmeter, F100, 3/4", 8 to 64 LPM, Silicon O-ring	F100-DN20B-S	308.28	286.26	264.25	264.25	243.25
Flowmeter, F100, 3/4", 3 to 24 LPM, Viton O-ring	F100-DN20A-V	483.28	448.75	414.25	414.25	393.25
Flowmeter, F100, 3/4", 8 to 64 LPM, Viton O-ring	F100-DN20B-V	483.28	448.75	414.25	414.25	393.25
Flowmeter, F100, 1", 7 to 56 LPM, Silicon O-ring	F100-DN25A-S	327.52	304.14	280.74	280.74	258.25
Flowmeter, F100, 1", 13 to 104 LPM, Silicon O-ring	F100-DN25B-S	327.52	304.14	280.74	280.74	258.25
Flowmeter, F100, 1", 7 to 56 LPM, Viton O-ring	F100-DN25A-V	502.52	466.63	430.74	430.74	408.25
Flowmeter, F100, 1", 13 to 104 LPM, Viton O-ring	F100-DN25B-V	502.52	466.63	430.74	430.74	408.25

# List Price Sheet

2/27/2009

Ingram Products

## LIQUID SYSTEM CONTROLS

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Flowmeter, F300, 1/2", 2.5 to 20 LPM, Silicon O-ring	F300-DN15A-S	387.03	359.38	331.74	331.74	303.25
Flowmeter, F300, 1/2", 5 to 40 LPM, Silicon O-ring	F300-DN15B-S	387.03	359.38	331.74	331.74	303.25
Flowmeter, F300, 1/2", 2.5 to 20 LPM, Viton O-ring	F300-DN15A-V	649.52	603.14	556.74	556.74	528.25
Flowmeter, F300, 1/2", 5 to 40 LPM, Viton O-ring	F300-DN15B-V	649.52	603.14	556.74	556.74	528.25
Flowmeter, F300, 3/4", 3 to 24 LPM, Silicon O-ring	F300-DN20A-S	413.28	383.75	354.25	354.25	333.25
Flowmeter, F300, 3/4", 8 to 64 LPM, Silicon O-ring	F300-DN20B-S	413.28	383.75	354.25	354.25	333.25
Flowmeter, F300, 3/4", 3 to 24 LPM, Viton O-ring	F300-DN20A-V	675.78	627.51	579.25	579.25	558.25
Flowmeter, F300, 3/4", 8 to 64 LPM, Viton O-ring	F300-DN20B-V	675.78	627.51	579.25	579.25	558.25
Flowmeter, F300, 1", 7 to 56 LPM, Silicon O-ring	F300-DN25A-S	432.52	401.63	370.74	370.74	348.25
Flowmeter, F300, 1", 13 to 104 LPM, Silicon O-ring	F300-DN25B-S	432.52	401.63	370.74	370.74	348.25
Flowmeter, F300, 1", 7 to 56 LPM, Viton O-ring	F300-DN25A-V	695.03	645.38	595.74	595.74	573.25
Flowmeter, F300, 1", 13 to 104 LPM, Viton O-ring	F300-DN25B-V	695.03	645.38	595.74	595.74	573.25

## ACCESSORIES

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Bubbler Kit, Level Control, 0 to 10 Foot	BK-10	46.83	38.69	36.35	34.35	33.86
Bubbler Kit, Level Control, 0 to 20 Ft.	BK-20	46.83	38.69	36.35	34.35	33.86
Bubbler Kit, Level Control, 0 to 30 Foot	BK-30	46.83	38.69	36.35	34.35	33.86
Rebuild Kit, Standard, TUF Pump	PV20PKSTD	32.12	26.31	24.97	23.62	23.23
Rebuild Kit, Deluxe, TUF Pump	PV20PKDLX	41.91	34.17	32.46	30.77	30.26
Capacitor, TUF Pump	C4MFD250V	10.77	8.82	8.38	7.95	7.85
Check Valve, Back	AP19CV0012NL	7.32	5.45	4.95	4.06	3.74
Filter, Air Discharge H10WB3	AP19FV0012PIL	9.43	7.18	6.60	6.29	5.98
Filter, Air Intake, HR10WB3	HRIF-1	2.00	1.83	1.52	1.15	1.15
Orifice, Fixed	IM-.016	7.66	5.88	5.15	4.72	4.29
Lamp, LED, Sunlight Visible, 12V, Red (for LX4)	LSLED-006R12VAD	12.31	10.62	8.46	6.15	5.77
Lamp, LED, Sunlight Visible, 12V, Amber (for LX4)	LSLED-006A12VAD	12.31	10.62	8.46	6.15	5.77
Lamp, LED, Sunlight Visible, 12V, Green (for LX4)	LSLED-006G12VAD	12.31	10.62	8.46	6.15	5.77
Lamp, LED, Sunlight Visible, 24V, Red (for LX4)	LSLED-006R24VAD	12.31	10.62	8.46	6.15	5.77
Lamp, LED, Sunlight Visible, 24V, Amber (for LX4)	LSLED-006A24VAD	12.31	10.62	8.46	6.15	5.77
Lamp, LED, Sunlight Visible, 24V, Green (for LX4)	LSLED-006G24VAD	12.31	10.62	8.46	6.15	5.77
Lamp, LED, Sunlight Visible, 120 VAC, Red (for LX4)	LSLED-006R120VAC	12.31	10.62	8.46	6.15	5.77
Lamp, LED, Sunlight Visible, 120 VAC, Amber (for LX4)	LSLED-006A120VAC	12.31	10.62	8.46	6.15	5.77
Lamp, LED, Sunlight Visible, 120 VAC, Green (for LX4)	LSLED-006G120VAC	12.31	10.62	8.46	6.15	5.77
Bulb, E26 Base, 25 LED Matrix, 12 Volt, Red (for MX)	LS3463E2625012DR	61.97	58.46	52.54	45.20	38.08
Bulb, E26 Base, 25 LED Matrix, 12 Volt, Amber (for MX)	LS3463E2625012DA	61.97	58.46	52.54	45.20	38.08
Bulb, E26 Base, 25 LED Matrix, 24 Volt, Red (for MX)	LS3463E2625024DR	61.97	58.46	52.54	45.20	38.08
Bulb, E26 Base, 25 LED Matrix, 24 Volt, Amber (for MX)	LS3463E2625024DA	61.97	58.46	52.54	45.20	38.08
Bulb, E26 Base, 25 LED Matrix, 120 Volt, Red (for MX)	LS3463E2625120AR	61.97	58.46	52.54	45.20	38.08
Bulb, E26 Base, 25 LED Matrix, 120 Volt, Amber (for MX)	LS3463E2625120AA	61.97	58.46	52.54	45.20	38.08
Bulb, E26 Base, 31 LED Matrix, 12 Volt, Red (for LX 25, 40F))	LS3483E2631012DR	63.85	61.31	54.08	46.62	40.00
Bulb, E26 Base, 31 LED Matrix, 12 Volt, Amber (for LX25, 40F)	LS3483E2631012DA	63.85	61.31	54.08	46.62	40.00
Bulb, E26 Base, 31 LED Matrix, 24 Volt, Red (for LX25, 40F)	LS3483E2631024DR	63.85	61.31	54.08	46.62	40.00
Bulb, E26 Base, 31 LED Matrix, 24 Volt, Amber (for LX25, 40F)	LS3483E2631024DA	63.85	61.31	54.08	46.62	40.00
Bulb, E26 Base, 31 LED Matrix, 120 Volt, Red (for LX25, 40F)	LS3483E2631120AR	63.85	61.31	54.08	46.62	40.00
Bulb, E26 Base, 31 LED Matrix, 120 Volt, Amber (for LX25, 40F)	LS3483E2631120AA	63.85	61.31	54.08	46.62	40.00
Bulb, E26 Base, 31 LED Matrix, 120 Volt, White (for LX25, 40F)	LS3483E2631120AW	65.38	62.69	55.77	48.31	41.69

# List Price Sheet

2/27/2009

Ingram Products

## ACCESSORIES

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Bulb, Incandescent, 15 Watt, 12V, S-15, Clear	LSA15C15W12V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 25 Watt, 12 Volt, S-15, Clear (for LX25)	LSA15C25W12V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 40 Watt, 12 Volt, S-15, Clear (for LX40-F)	LSA15C40W12V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 15 Watt, 24 Volt, S-15, Clear	LSA15C15W24V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 25 Watt, 24 Volt, S-15, Clear (for LX25)	LSA15C25W24V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 40 Watts, 24V, S-15, Clear (for LX40)	LSA15C40W24V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 10 Watt, 12 Volts, S-11, Clear	LSA11C10W12V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 15 Watt, 12 Volt, S-11, Clear (for MX15)	LSA11C15W12V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 25 Watt, 12 Volt, S-11, Clear (for MX25F)	LSA11C25W12V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 10 Watt, 24 Volt, S-11, Clear	LSA11C10W24V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 15 Watt, 24 Volt, S-11, Clear (for MX15)	LSA11C15W24V	5.31	5.15	5.08	5.00	4.92
Bulb, Incandescent, 25 Watt, 24 Volt, S-11, Clear (for MX25F)	LSA11C25W24V	5.31	5.15	5.08	5.00	4.92
Bulb, E12 Base, LED, 12 Volt, Red (for LX10)	LT20CE123C9012R	34.94	32.97	30.54	27.03	24.14
Bulb, E12 Base, LED, 12 Volt, Amber (for LX10)	LT20CE123C9012A	34.94	32.97	30.54	27.03	24.14
Bulb, E12 Base, LED, 12 Volt, Green (for LX10)	LT20CE123C9012G	40.74	38.45	35.63	31.54	28.17
Bulb, E12 Base, LED, 12 Volt, Clear (for LX10)	LT20CE123C9012C	40.74	38.45	35.63	31.54	28.17
Bulb, E12 Base, LED, 24 Volt, Red (for LX10)	LT20CE123C9024R	34.94	32.97	30.54	27.03	24.14
Bulb, E12 Base, LED, 24 Volt, Amber (for LX10)	LT20CE123C9024A	34.94	32.97	30.54	27.03	24.14
Bulb, E12 Base, LED, 24 Volt, Green (for LX10)	LT20CE123C9024G	40.74	38.45	35.63	31.54	28.17
Bulb, E12 Base, LED, 24 Volt, Clear (for LX10)	LT20CE123C9024C	40.74	38.45	35.63	31.54	28.17
Bulb, E12 Base, LED, 120 Volt, Red (for LX10)	LT20CE123C9120R	34.94	32.97	30.54	27.03	24.14
Bulb, E12 Base, LED, 120 Volt, Amber (for LX10)	LT20CE123C9120A	34.94	32.97	30.54	27.03	24.14
Bulb, E12 Base, LED, 120 Volt, Green (for LX10)	LT20CE123C9120G	40.74	38.45	35.63	31.54	28.17
Bulb, E12 Base, LED, 120 Volt, Clear (for LX10)	LT20CE123C9120C	40.74	38.45	35.63	31.54	28.17

## OEM net price DIN RAIL MOUNT POWER SUPPLY

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Power Supply, 5VDC @ 1 Amps	DRA05-05	25.87	25.04	24.21	23.38	22.66
Power Supply, 12VDC @ .42 Amps	DRA05-12	25.87	25.04	24.21	23.38	22.66
Power Supply, 15VDC @ 0.34 Amps	PSD05-15	25.87	25.04	24.21	23.38	22.66
Power Supply, 24VDC @ .21 Amps	DRA05-24	25.87	25.04	24.21	23.38	22.66
Power Supply, 5 VDC @ 2 Amps	DRA10-05	31.23	30.22	29.19	28.16	27.28
Power Supply, 12VDC @ 0 .83 Amps	DRA10-12	31.23	30.22	29.19	28.16	27.28
Power Supply, 15VDC @ 0 .67 Amps	PSD10-15	31.23	30.22	29.19	28.16	27.28
Power Supply, 5VDC @ 3.6 Amps	DRA18-05	46.48	44.90	43.32	41.74	40.40
Power Supply, 12VDC @ 1.5 Amps	DRA18-12	46.48	44.90	43.32	41.74	40.40
Power Supply, 15VDC @ 1.2 Amps	DRA18-15	46.48	44.90	43.32	41.74	40.40
Power Supply, 24VDC @ .75 Amps	DRA18-24	46.48	44.90	43.32	41.74	40.40
Power Supply, 5VDC @ 6 Amps	DRA30-05	64.57	58.54	53.52	49.85	47.09
Power Supply, 12VDC @ 2.5 Amps	DRA30-12	64.57	58.54	53.52	49.85	47.09
Power Supply, 24VDC @ 1.25 Amps	DRA30-24	64.57	58.54	53.52	49.85	47.09
Power Supply, 48VDC @ 0.625 Amps	DRA30-48	64.57	58.54	53.52	49.85	47.09
Power Supply, 5VDC @ 10 Amps	DRA60-05	75.00	73.00	66.80	62.12	58.68
Power Supply, 12VDC @ 5 Amps	DRA60-12	75.00	73.00	66.80	62.12	58.68
Power Supply, 24VDC @ 2.5 Amps	DRA60-24	75.00	73.00	66.80	62.12	58.68
Power Supply, 48VDC @ 1.25 Amps	DRA60-48	75.00	73.00	66.80	62.12	58.68
Power Supply, 12VDC @ 10 Amps	DRA120-12	124.00	120.00	116.19	112.47	108.87

# List Price Sheet

2/27/2009

Ingram Products

## OEM net price DIN RAIL MOUNT POWER SUPPLY

Description	Model Number	1-4	5-9	10-19	20-49	50-99
Power Supply, 24VDC @ 5 Amps	DRA120-24	124.00	120.00	116.19	112.47	108.87
Power Supply, 24VDC @ 10 Amps	DRA240-24	172.00	166.00	158.40	153.10	147.10

Price and specifications subject to change without notice. All prices F.O.B. Jacksonville, Florida excluding tax and packaging. Terms are Net 30 with approved credit. Most items shipped bulk. Volume pricing, blanket prices and OEM DISCOUNTS available.